

SETUP PRINTER

LINUX

PRINTING VIA SAMBA (using a Windows Print Server)

Your user must be a member of the admin/sudo group

First get the name(s) of the printer(s) you want to use:

To get the printer names use smbclient. If the program is not installed do:

- apt-get update; apt-get install smbclient

Now execute this line to get a list of the printer names:

- smbclient -L \\<windowsprintserver> -U <unibz-login> -W <domain>

e.g.

- smbclient -L \\print.unibz.it -U bgates -W unibz

Printer naming scheme:

```
UBZ 066 POS 300
|   |   |   |-> Room number

|   |   |->POS Building

|   |->IP-Adress

|->UBZ University Site Bolzano
```

A list of old and new printer names you can find here:

<http://www.unibz.it/en/ict/Documents/PrinterList.pdf>

Now that you know the name of the printer, you can starting adding a printer.










SMB URI

```
smb://domain\username:password@print.unibz.it/<printername>
```

Open your preferred browser and type this address:

- localhost:631

Follow this guides as shown on the next screen shots

| Select Add Printer from Administration Menu | Chose how to connect to Printer |
|---|---|
|  |  |
| Chose how to connect to Printer | Enter Connection String SMB URI, enter Domain unibz, YOUR username and password! |
|  |  |
| Enter Name, Description and Location | Select Make of Printer |
|  |  |
| Select Driver | Set initial default Options |
|  |  |
| Set Default Options | |
|  | |

Check that the cups printer config file printers contains the string:

```
smb://domain\username:password@print.unibz.it/<printername>
```

In a terminal type:

- `sudo cat /etc/cups/printers.conf | grep smb:`

Restart cups daemon:

- `sudo /etc/init.d/cups restart`

Remove clear password from /etc/cups/printers.conf config file

Please note: NOT ALL Programs show the prompt to enter DOMAIN\username and password

Open the config file and make the following modifications:

- `sudo vi /etc/cups/printers.conf`

Place this line in:

```
AuthInfoRequired username,password
```

Next search for the the DeviceURI line and substitute it with this line. Please remember to leave the printername unchanged!

```
DeviceURI smb://print.unibz.it/<printername>
```

CHIPCARD PRINTER (using a Windows Print Server)

Your user must be a member of the admin/sudo group








SMB URI

```
smb://domain\username:password@ubz02cps.unibz.it/CPSPrn01
```

Open your preferred browser and type this address:

- localhost:631

Follow this guides as shown on the next screen shots

| | |
|---|--|
| Select Add Printer from Administration Menu | Chose how to connect to Printer |
|  |  |
| Enter Connection smb URI, Domain, YOUR username and password! | Name, Description and Location Names |
|  |  |
| Select Make Generic | Select Printer Driver Generic Postscript |
|  |  |
| Modify Options | |
|  | |

Check that the cups printer config file printers contains the string:

```
smb://domain\username:password@ubz02cps.unibz.it/CPSPrn01
```

In a terminal type:

```
sudo cat /etc/cups/printers.conf | grep smb:
```

Restart cups daemon:

```
sudo /etc/init.d/cups restart
```

Remove clear password from /etc/cups/printers.conf config file

Open the config file and make the following modifications:

- sudo vi /etc/cups/printers.conf

Place this line in:

```
AuthInfoRequired username,password
```

Next search for the the DeviceURI line and substitute it with this line.

```
DeviceURI smb://ubz02cps.unibz.it/CPSPrn01
```

PRINTING VIA CUPS (using a Linux Print Server)

First get the name(s) of the available printer(s):

<http://gutenberg.inf.unibz.it:631/printers>

Open your preferred browser and type this address:

- localhost:631

Follow this guides as shown on the next screen shots

| | |
|---|--|
| Select Add Printer | Enter local username (must be in admin/sudo group) and local password |
| <input type="text"/> | <input type="text"/> |
| Enter Connection string e.g. <a href="http://gutenberg.inf.unibz.it:631/printers/<printername>">http://gutenberg.inf.unibz.it:631/printers/<printername> | Name, Description and Location Names |
| <input type="text"/> | <input type="text"/> |
| Select Make | Select Driver |
| <input type="text"/> | <input type="text"/> |

Last select newly added printer; Click on **Administration** and select: **Set Default Options**

Printing of private and confidential Documents

https://www.inf.unibz.it/wiki/auth/printing_of_private_and_confidential_documents

Windows 7 and Mac OSX

[Home>To Computer & Internet>Computer - Network>Printers](#)

List of old and new printer names:

<http://www.unibz.it/en/ict/Documents/PrinterList.pdf>

From:

<https://wiki.inf.unibz.it/> - **Engineering-Tech Wiki**

Permanent link:

https://wiki.inf.unibz.it/doku.php?id=auth:setup_printers&rev=1354191540

Last update: **2019/01/16 10:03**

