

Old Version using WEP

Setup of the UNIBZ Wireless LAN for Linux WPA

Security used within the WLAN Network: WPA1/WPA2 + PEAP + MSCHAPv2

Pre-requisites

- Drivers for your Wireless Adapter and Requirements, installed and configured.
- 1. Intel PRO/Wireless 2100 802.11b (Centrino) <http://ipw2100.sourceforge.net/>
- 2. Intel PRO/Wireless 2200 802.11g and 2915 802.11ag (Centrino) <http://ipw2200.sourceforge.net/>
- 3. Intersil PrismII driver with HostAP mode <http://hostap.epitest.fi/>
- 4. Atheros MADWiFi driver (most cards with 802.11a or 108 Mb/s) <http://madwifi.org/>
- 5. WLAN Cards using ndiswrapper
http://ndiswrapper.sourceforge.net/mediawiki/index.php/Main_Page
- Linux Software for the Authentication: [wpa_supplicant](#). It is a WPA Supplicant with support for WPA and WPA2 (IEEE 802.11i/RSN)
- A good NetworkManager GUI and front-end of wpa_supplicant is [NetworkManager](#). A list of [Supported Wireless Cards & Drivers](#) is also available. A wiki about NetworkManager can be found in section [Using NetworkManager](#)

Other Wireless LAN resources for Linux can be found here
http://www.hpl.hp.com/personal/Jean_Tourrilhes/Linux/

Installing wpa_supplicant

1. apt-get install wpa_supplicant
2. Configure /etc/wpa_supplicant.conf

Download [Thawte_Premium_server_CA.pem](#) Certificate if you do not have it!

less /etc/wpa_supplicant.conf

```
ctrl_interface=/var/run/wpa_supplicant
ctrl_interface_group=0
eapol_version=1
ap_scan=1
fast_reauth=1

network={
    disabled=0
    ssid="ScientificNetworkSouthTyrol"
    proto=WPA
```

```
        key_mgmt=WPA-EAP
        auth_alg=OPEN
        eap=PEAP
        identity="unibzlogin@unibz.it"
        password="unibzpassword"
        ca_cert="/etc/ssl/certs/Thawte_Premium_Server_CA.pem"
        phase1="peaplabel=0 peapver=0"
        phase2="auth=MSCHAPV2"
        priority=10
    }
```

3. Bring Interface (eth1/wlan, etc.) up

```
sudo ifconfig eth1 up
```

4. Start wpa_supplicant

```
sudo wpa_supplicant -D wext -i eth1 -c /etc/wpa_supplicant.conf
```

5. Get an IP Address

```
sudo dhclient3 eth1
```

Using NetworkManager

[NetworkManager Howto](#)

Configuration for wired authentication 802.1x

Make sure you have installed wpasupplicant and wpagui

```
sudo apt-get install wpa_supplicant wpagui
```

Edit the configuration file: /etc/wpa_supplicant/wpa_supplicant.conf

```
vi /etc/wpa_supplicant/wpa_supplicant.conf
```

```
ctrl_interface=/var/run/wpa_supplicant
ctrl_interface_group=0
eapol_version=1
ap_scan=0
fast_reauth=1
```

```
network={  
    eap=PEAP  
    eapol_flags=0  
    phase1="peaplabel=0"  
    phase2="auth=MSCHAPV2"  
    priority=10  
    key_mgmt=IEEE8021X  
    auth_alg=OPEN  
}
```

Now execute the following commands:

Starts wpa_supplicant with wired driver (-D wired) and in daemon mode (-B)

- sudo wpa_supplicant -D wired -c /etc/wpa_supplicant/wpa_supplicant.conf -i eth0 -B

Start wpa_gui to enter username and password

- sudo wpa_gui
- Login with username@unibz.it and password

Get an IP Address

- sudo dhclient3 eth0

— [kohofer](#) 2007/03/30 14:22

From:
<https://wiki.inf.unibz.it/> - **Engineering-Tech Wiki**



Permanent link:

https://wiki.inf.unibz.it/doku.php?id=public:wireless_lan_using_linux&rev=1207224154

Last update: **2019/01/16 10:03**